

Ordinance 201.

An Ordinance to amend Sections One and Three of Ordinance no. 180, passed by the Council June 26<sup>th</sup> 1888, entitled An Ordinance to amend Sections One and Three of an ordinance "entitled An Ordinance relating to the establishing of grade of streets in the city of Albany passed by the Common Council December 14<sup>th</sup> 1876."

The People of the City of Albany do ordain as follows:

Section 1. That sections one(1) and three(3) of Ordinance number 180, passed by the Council June 26<sup>th</sup> 1888, entitled An Ordinance to amend Sections One and Three of an Ordinance "entitled An Ordinance relating to the establishing of grade of streets in the City of Albany, passed by the Common Council December 14<sup>th</sup> 1876," be amended so as to read as follows:

Section 1. The established grade of the streets of the City of Albany in Linn County Oregon, shall be in conformity to the Survey and plat made by Surveyor Name in the year 1876, and now on file in the office of the City Recorder of the City of Albany; except, that, the established grade of Barker street, and Montgomery street between Fourth street and Seventh street, and the established grade of Fifth street, Sixth street, and Seventh street, between

Lyon street and Rail-Road street,  
 shall be in conformity to the survey  
 and plat, made by City Surveyor, M.B.,  
 Bars in the year 1888, and adopted by  
 the Common Council, June 12<sup>th</sup> 1888,  
 and now on file in the office of the  
 City Recorder; and except that the  
 established grade of Second street,  
 Third street, and Fourth street, from  
 the east line of Vine street, to the  
 west line of Washington street, and of  
 Calapooia street from the north line  
 of Second street, to the north line of  
 Fourth street, shall be in conformity  
 to the survey and plat, made by  
 J. A. Warner in the year 1890, and  
 adopted by the Common Council  
 July 8<sup>th</sup> 1890, and now on file in the  
 office of the City Recorder.

Section 3. The center of the finished street  
 shall conform to the established  
 grade, the gutter to be eight tenths  
 $(8/10)$  of a foot lower than the center  
 of street, and there shall be not  
 less than (6) six inches of gravel in  
 the center of the street, and not less  
 than (3) three inches of gravel at the  
 edge of gutter.

Section 4. All ordinance or parts of ordinances  
 in conflict with this ordinance are  
 hereby repealed.

Section 5. This ordinance shall take  
 effect and be in force from  
 and after its approval by

the mayor.

Passed the Council July 24<sup>th</sup> 1890.

Approved by the Mayor August 1<sup>st</sup> 1890.

Attest:

J L Corrass

W. F. Hector

Mayor.

Recorder of the city of Albany.

State of Oregon, }  
County of Lane }

I, W. F. Hector, Recorder of the City of Albany, in Lane County state of Oregon, do hereby certify that the foregoing ordinance number 20, has been by me carefully compared with the original ordinance bill no. 208, now on file in my office, and that it is a true complete and correct copy of all and the whole of said ordinance bill as passed by the Council of the said City of Albany the 24<sup>th</sup> day of July A.D. 1890.

In testimony whereof I have hereunto set my hand, and affixed the seal of the City of Albany this 26<sup>th</sup> day of July A.D. 1890.

W. F. Hector.

Recorder of the city of  
Albany.

